

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

Issued to: ENERGY RECOVERY PRODUCTS (ZHUHAI) CO LTD
NANPING SCIENTIFIC TEC INDUSTRY PARK
NO 8 PINGDONG RD 2 ZHUHAI , GUANGDONG,
China 519060

**This is to certify that
representative samples of**

**FKSZ8 - Light-emitting-diode Drivers Certified for
Canada - Component**

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CAN/CSA C22.2 NO. 250.13-17, 3rd Ed., Issue Date: 2017-10-01

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<p>PSSPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where "PP"– If Pout<10W, "PP"=10, if 10W<=Pout<=15W, "PP"=15, if 15W<Pout<=20W, "PP"=20, if 20W<Pout<=25W, "PP"=25, if 25W<Pout<=30W29.4W, "PP"=30.</p> <p>"XXXX" - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>"VV" - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>"YYYYYY" - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>"ZZZZZZ" - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>"PTB", "PSS" and "PYB" – Denotes the housing was made of plastic.</p> <p>"PTM" and PYM" – Denotes the housing was made of steel.</p>	LED Drivers
<p>PTBPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where "PP"– If Pout<10W, "PP"=10, if 10W<=Pout<=15W, "PP"=15, if 15W<Pout<=20W, "PP"=20, if 20W<Pout<=25W, "PP"=25, if 25W<Pout<=30W29.4W, "PP"=30.</p> <p>"XXXX" - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>"VV" - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p>	LED Drivers



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

<p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	
<p>PTMPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where “PP”– If Pout<10W, “PP”=10, if 10W<=Pout<=15W, “PP”=15, if 15W<Pout<=20W, “PP”=20, if 20W<Pout<=25W, “PP”=25, if 25W<Pout<=30W29.4W, “PP”=30.</p> <p>“XXXX” - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>“VV” - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	LED Drivers
<p>PYBPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where “PP”– If Pout<10W, “PP”=10, if 10W<=Pout<=15W, “PP”=15, if 15W<Pout<=20W, “PP”=20, if 20W<Pout<=25W, “PP”=25, if 25W<Pout<=30W29.4W, “PP”=30.</p>	LED Drivers



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

<p>“XXXX” - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>“VV” - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	
<p>PYMPWP-XXXX-VV-YYYYYYY-ZZZZZZ, Where “PP”– If Pout<10W, “PP”=10, if 10W<=Pout<=15W, “PP”=15, if 15W<Pout<=20W, “PP”=20, if 20W<Pout<=25W, “PP”=25, if 25W<Pout<=30W29.4W, “PP”=30.</p> <p>“XXXX” - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>“VV” - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	<p>LED Drivers</p>



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

Issued to: ENERGY RECOVERY PRODUCTS (ZHUHAI) CO LTD
NANPING SCIENTIFIC TEC INDUSTRY PARK
NO 8 PINGDONG RD 2 ZHUHAI , GUANGDONG,
China 519060

This is to certify that representative samples of FKSZ2 - Light-emitting-diode Drivers - Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 8750, 2nd Ed., Issue Date: 2015-09-15, Revision Date: 2020-09-11

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
<p>PSSPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where "PP"– If Pout<10W, "PP"=10, if 10W<=Pout<=15W, "PP"=15, if 15W<Pout<=20W, "PP"=20, if 20W<Pout<=25W, "PP"=25, if 25W<Pout<=30W29.4W, "PP"=30.</p> <p>"XXXX" - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>"VV" - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>"YYYYYY" - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>"ZZZZZZ" - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>"PTB", "PSS" and "PYB" – Denotes the housing was made of plastic.</p> <p>"PTM" and PYM" – Denotes the housing was made of steel.</p>	<p>LED Drivers</p>
<p>PTBPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where "PP"– If Pout<10W, "PP"=10, if 10W<=Pout<=15W, "PP"=15, if 15W<Pout<=20W, "PP"=20, if 20W<Pout<=25W, "PP"=25, if 25W<Pout<=30W29.4W, "PP"=30.</p> <p>"XXXX" - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>"VV" - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p>	<p>LED Drivers</p>



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

<p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	
<p>PTMPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where “PP”– If Pout<10W, “PP”=10, if 10W<=Pout<=15W, “PP”=15, if 15W<Pout<=20W, “PP”=20, if 20W<Pout<=25W, “PP”=25, if 25W<Pout<=30W29.4W, “PP”=30.</p> <p>“XXXX” - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>“VV” - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	LED Drivers
<p>PYBPPW-XXXX-VV-YYYYYY-ZZZZZZ, Where “PP”– If Pout<10W, “PP”=10, if 10W<=Pout<=15W, “PP”=15, if 15W<Pout<=20W, “PP”=20, if 20W<Pout<=25W, “PP”=25, if 25W<Pout<=30W29.4W, “PP”=30.</p>	LED Drivers



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L343741-92600202-3
Report Reference E343741-20200629
Date 11-Jan-2021

<p>“XXXX” - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>“VV” - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	
<p>PYMPWP-XXXX-VV-YYYYYYY-ZZZZZZ, Where “PP”– If Pout<10W, “PP”=10, if 10W<=Pout<=15W, “PP”=15, if 15W<Pout<=20W, “PP”=20, if 20W<Pout<=25W, “PP”=25, if 25W<Pout<=30W29.4W, “PP”=30.</p> <p>“XXXX” - Denotes regulated output current in mA. Regulated output current is not greater than max output regulated current within the output voltage range.</p> <p>“VV” - Denotes maximum output voltage(in voltage) which is not greater than max output voltage range.</p> <p>“YYYYYY” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“ZZZZZZ” - Denotes customer code for market purpose only. It could be blank, 2-6 digits, any combination of alphanumeric characters or blank.</p> <p>“PTB”, “PSS” and “PYB” – Denotes the housing was made of plastic.</p> <p>“PTM” and PYM” – Denotes the housing was made of steel.</p>	<p>LED Drivers</p>



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

